



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

A handwritten signature in black ink, appearing to read "Trohn Enright-Randolph", with a long horizontal flourish extending to the right.

Trohn Enright-Randolph  
Monroe County Surveyor

**T 5 N**

**R 1 W**



[3]



Township N° V North of the Base line, Range N° I West of the 2<sup>nd</sup> Meridian. Surveyed by Arthur Henrie - 1844.



Township 1<sup>st</sup> 5 North of Range No 1 West 2<sup>nd</sup> Mer. Indiana

South Boundary.

West On a Kanam line with South Boundary of sec. 36. a 2.  
T. 5 N. R. 1 W.

10.00 To a Broom 12 mts. m. corner S.

40.00 Set a post for support.

80.00 Set a post for the cor. of sec. 35 & 36.

Land selling timber Broom, Oak, & Sugar Y.

West On a Kanam line with South Boundary of sec. 35.  
T. 5 N. R. 1 W.

40.00 Set a post for support.

55.50 To a spring corner S.

80.00 Set a post for the cor. of sec. 34 & 35.

Land the same.

West On a Kanam line with South Boundary of sec. 34.  
T. 5 N. R. 1 W.

40.00 Set a post for support.

44.00 To White River.

80.00 Set a post for the cor. of sec. 33 & 34.

Land selling timber Oak, Hickory & some poplar.

West On a Kanam line with South Boundary of sec. 33.  
T. 5 N. R. 1 W.

40.00 Set a post for support.

80.00 Set a post for the cor. of sec. 32 & 33.

Land the same.

West On a Kanam line with South Boundary of sec. 32.  
T. 5 N. R. 1 W.

25.00 To White River

40.00 Set a post for support.

80.00 " " " post for the cor. of sec. 31 & 32.



T. N. 5 N. R. N. 17 W. 2<sup>nd</sup> Mer. Ind.

Sands rich Limbs. Buck, Poplar, &amp;c. W. 1/2 Sec.

- West On a random line On the South Boundary of Sec. 31  
T. 5 N. R. 17 W.
- 40.00 Set a temporary post from which,  
85.68 Set a temporary post on the range line North of the cor of T. 4 N. 13.  
N. R. 17 W.  
Sands the same.
- East On the true line On the South Boundary of Sec. 31  
T. 5 N. R. 17 W. r. 7° 20'
- 45.68 Set the temporary post on the true line from which,  
Buck 10 in dia. beam. S 87° W. 119 links dist. to,  
Loc. 10 " " " N 80° W. 29 " "
- 85.68 Set the temporary post on the true line for the corner  
31 132 from which,  
Buck 10 in dia. beam. S 85° E. 13 links dist. to,  
Loc. 10 " " " N 80° W. 11 " "
- East On the true line On the South Boundary of Sec. 32  
T. 5 N. R. 17 W.
- 40.00 Set a temporary post on the true line from which,  
Buck 10 in dia. beam. N 83° E. 12 links dist. to,  
Loc. 20 " " " S 32° E. 23 " "
- 48.14 Set a post on the Right Bank of White River for the  
cor of Grad. Sec. 32 from which,  
Poplar 8 in dia. beam. S 10° E. 5 links dist. to,
- 55.00 Set a post on the Left Bank of White River for the  
cor of Grad. Sec. 32 from which,  
Mulberry 10 in dia. beam. S 10° E. 19 links dist. to,  
Ash 18 " " " N 19° E. 12 " "
- 80.00 Set the temporary post on the true line for the corner of  
32 133 from which,

T. N. 5 N. R. N. 17 W. 2<sup>nd</sup> Mer. Ind.Buck 12 in dia. beam. East 45 links dist. to,  
Loc. 18 " " " N 57° W. 22 " "

East On a random line On the South Boundary of Sec. 33  
T. 5 N. R. 17 W.

40.00 Set a temporary post on the true line from which,  
Nick 8 in dia. beam. N 40° E. 28 links dist. to,  
Gum. 18 " " " N 37° W. 12 " "

80.00 Set the temporary post on the true line for the corner of  
33 134 from which, Dogwood 7 in dia. beam. S 35° E. 25 links dist.  
and Loc. 7 " " " N 55° W. 13 " "

East On a true line On the South Boundary of Sec. 34  
T. 5 N. R. 17 W.

27.00 Set a post on the Left Bank of White River for the  
cor of Grad. Sec. 34 from which,  
Cotton 10 in dia. beam. N 21° W. 10 links dist. to,  
Loc. 6 " " " S 60° E. 10 " "

36.00 Set a post on the Right Bank of White River for the  
cor of Grad. Sec. 34 from which,  
Poplar 6 in dia. beam. N 80° W. 15 links dist. to,  
Buck 10 " " " S 10° E. 16 " "

40.00 Set a temporary post from which,  
Poplar 10 in dia. beam. S 52° E. 19 links dist. to,  
Buck 12 " " " N 10° E. 16 " "

80.00 Set a post on the true line from which, (cor of Sec. 34 135)  
Gum. 10 in dia. beam. S 35° E. 21 links dist. to,  
Loc. 8 " " " N 16° W. 16 " "

40.00 Set a temporary post on the true line from which,  
Buck 12 in dia. beam. N 65° E. 10 links dist. to,  
Loc. 6 " " " N 65° W. 12 " "

80.00 Set the temporary post on the true line from which, 34 135



T. A. 5. N. R. N. 17<sup>th</sup> 2<sup>nd</sup> Mm. Ind.

Logwood 6 in dia: here. N 68 E. 17<sup>th</sup> dist. to  
Beck 10 " " " N 48 W. 12 " "

East On the line On the East Bound of sec. 35.  
T. 5. N. R. 17.

40.00 Set a trip post on the line from which  
Poplar 10 in dia: here. S 52 E. 17<sup>th</sup> dist. to  
Beck 12 " " " N 10 E. 16 " "

80.00 Set the trip post on the line from the corner of sec. 35 & 36  
from which Gum 10 in dia: here. S 85 E. 21<sup>st</sup> dist.  
and also Loc. 8 " " " S 76 W. 16 " "

East On the line On the East Bound of sec. 36.  
T. 5. N. R. 17.

40.00 Set the trip post on the line from which  
Summit 9 in dia: here. N 71 E. 17<sup>th</sup> dist. to  
W Oak 20 " " " S 44 W. 12 " "

80.00 To the corner of T. 45 N. R. 17 E. 17

East Bound of 3<sup>rd</sup> Principal

Meridian in the State of Indiana

North On the East Bound of sec. 36. T. 5. N. R. 17.

4.50 To a Brook 12 links mid, corner N.

19.00 To " Loc. 5 " " " S. W.

40.00 Set a 7/8 post from which  
Beck 8 in dia: here. S 11 E. 23<sup>rd</sup> dist. to  
Cherry 10 " " " N 33 W. 16 " "

80.00 Set a post for the corner of sec. 25 & 36 from which  
Beck 24 in dia: here. S 28 W. 23<sup>rd</sup> dist. to  
Loc. 8 " " " N 35 E. 8 " "  
Land not timbered Beck, Poplar &c.

North On the East Bound of sec. 25 T. 5. N. R. 17.

corner?

T. A. 5. N. R. N. 17<sup>th</sup> 2<sup>nd</sup> Mm. Ind.

19.00 To a Poplar. 30 in dia: in the line.

23.20 To a Brook 10 links mid, corner N.

40.00 Set a 7/8 post from which  
Beck 6 in dia: here. S 77 W. 21<sup>st</sup> dist. to  
Loc. 20 " " " N 23 E. 24 " "

68.50 To a Brook 12 links mid, corner N.

80.00 Set a post for the corner of sec. 24 & 25 from which  
Beck 10 in dia: here. S 19 W. 24<sup>th</sup> dist. to  
Logwood 8 " " " N 19 E. 8 " "  
Land not timbered same.

North On the East Bound of sec. 24. T. 5. N. R. 17.

4.00 To an Ash. 20 in dia: stands in the line.

15.25 To a Brook 10 links mid, corner N.

30.50 " " Loc. 10 " " " N.

40.00 Set a 7/8 post from which  
Beck 8 in dia: here. S 77 W. 28<sup>th</sup> dist. to  
Loc. 20 " " " N 29 E. 13 " "

56.16 To a Brook 100 links mid, corner S. W.

61.60 " " Loc. 100 " " " S. E.

68.00 " " Loc. 100 " " " S. W.

80.00 Set a post for the corner of sec. 13 & 24 from which  
Beck 20 in dia: here. S 34 W. 14<sup>th</sup> dist. to  
W Oak 20 " " " N 63 W. 11 " "  
Land the same.

North On the East Bound of sec. 13. T. 4. N. R. 17.

40.00 Set a 7/8 post from which  
W Oak 12 in dia: here. S 64 E. 7<sup>th</sup> dist. to  
Beck 10 " " " N 15 W. 30 " "

80.00 Set a post for the corner of sec. 19 & 13 from which  
Sugar 8 in dia: here. S 1 E. 10<sup>th</sup> dist. to  
Beck 10 " " " N 34 E. 20 " "







T. A. 5 N. R. No 17 D<sup>nd</sup> Mer. Ind.

East	On the true line between Sec 6 & 31. T. 54 N. R. 1 W.
44.46	Set the tripit 7 <sup>th</sup> support on the true line from which, Oak 12 in dia: bear. N 88 W. 7/8 lbs dist: to, B Walnut 10 " " " N 77 W 30 " "
84.46	Set the tripit post on the true line for the cap of sec 31 & 32 from which, Oak 12 in dia: bear. N 70 E. 16 lbs dist: to, Do. 12 " " " S 87 E. 28 " " This mark is over the Oak & Walnut timbered land.
East	On the true line On the South Boundary of sec. 32. T. 6 N. R. 1 W.
40.00	Set a 7 <sup>th</sup> support tripit on the true line from which, Beck 12 in dia: bear. N 86 E. 15 lbs dist: to, Dogwood 5 " " " S 15 E. 6 " "
80.00	Set a tripit post on the true line for the cap of sec 32 & 33 from which, Poplar 10 in dia: bear. S 72 E. 25 lbs dist: under a Walnut 10 " " " N 15 W. 12 " "
East	On the true line On the South Boundary of Sec. 33. T. 6 N. R. 1 W.
40.00	Set the tripit 7 <sup>th</sup> support on the true line from which, Sugar 10 in dia: bear. N 49 E. 13 lbs dist: to, Beck 10 " " " S 43 E. 10 " "
80.00	Set the tripit post on the true line for the cap of sec 33 & 34. from which, Beck 6 in dia: bear. N 78 E. 27 lbs dist: under a Sugar 10 " " " S 42 E. 7 " "
East	On the true line On the South Boundary of sec. 34. T. 6 N. R. 1 W.
40.00	Set the tripit 7 <sup>th</sup> support on the true line from which, Ash 20 in dia: bear. N 45 E. 52 lbs dist: to, Do. 20 " " " " N 77 W. 20 " "
80.00	Set a tripit post on the true line for the cap of sec 34 & 35.

T. A. 5 N. R. No 17 D<sup>nd</sup> Mer. Ind.

	from which, Beck 20 in dia: bear. N 30 W. 15 lbs dist: under a Do. 10 " " " " N 55 E. 16 " "
East	On the true line On the South Boundary of sec. 35. T. 6 N. R. 1 W.
40.00	Set a tripit 7 <sup>th</sup> support on the true line from which, Stick 76 in dia: bear. N 81 E. 16 lbs dist: to, Dogwood 6 " " " S 77 W. 12 " "
80.00	Set a tripit post on the true line for the cap of sec 35 & 36. from which, Blue Ash 12 in dia: bear. N 1 E. 9 lbs dist: Do. " " " " N 52 E. 15 " "
East	On the true line On the South Boundary of sec. 36. T. 6 N. R. 1 W.
40.00	Set a tripit 7 <sup>th</sup> support on the true line from which, Beck 8 in dia: bear. N 35 E. 17 lbs dist: to, Do. 12 " " " " S 78 W. 21 " "
80.00	Set the cap of T. 54 N. R. 1 E. 1 W.
	West Boundary. all.
North	On the East Boundary of sec. 36. T. 5 N. R. 2 W.
10.51	Set a Poplar 30 in dia: stand in the line.
40.00	Set a 7 <sup>th</sup> support from which, Beck 12 in dia: bear. S 39 W. 24 lbs dist: to, Dogwood 6 " " " N 41 W. 12 " "
80.00	Set a post for the cap of sec 35 & 36 from which, Beck 12 in dia: bear. S 2 E. 24 lbs dist: to, Sugar 15 " " " " N 72 W. 21 " " Sanderling and rolling Timber Beck, Sugar ash, Poplar, L., W. Spruce.
North	On the East Boundary of sec. 35. T. 5 N. R. 2 W.



## T. N. 5. N. R. No 1 N. D. M. Ind.

East On the true line between Sec. 6 & 31. T. 5 N. R. 1 W.  
 44.46 Set the tripit 7/2 a post on the true line from which,  
 N Oak 12 in dia: bear. N 88 W. 7/2 lks dist; to  
 Walnut 10 " " " N 77 W. 30 " "  
 84.46 Set the tripit post on the true line for the cor. of sec. 31 & 32  
 from which, N Oak 12 in dia: bear. N 70 E. 16 lks dist; to  
 Do. 12 " " " S 87 E. 28 " "  
 This mark is over the Oak, & Neak? Timbered land.

East On the true line On the South Boundary of sec. 32.  
 T. 6 N. R. 1 W.  
 40.00 Set a 7/2 a post tripit in the true line from which,  
 Buck 12 in dia: bear. N 86 E. 15 lks dist; to  
 Logwood 5 " " " S 45 E. 6 " "  
 80.00 Set a tripit post on the true line for the cor. of sec. 32 & 33  
 from which, Poplar 10 in dia: bear. S 72 E. 25 lks dist  
 and also Walnut 10 " " " N 15 W. 12 " "

East On the true line On the South Boundary of sec. 33.  
 T. 6 N. R. 1 W.  
 40.00 Set the tripit 7/2 a post on the true line from which,  
 Sugar 10 in dia: bear. N 49 E. 13 lks dist; to  
 Buck 10 " " " S 43 E. 10 " "  
 80.00 Set the tripit post on the true line for the cor. of sec. 33 & 34  
 from which, Buck 6 in dia: bear. N 78 E. 27 lks dist  
 and also Sugar 10 " " " S 72 E. 7 " "

East On the true line On the South Boundary of sec. 34.  
 T. 6 N. R. 1 W.  
 40.00 Set the tripit 7/2 a post on the true line from which,  
 Ash 20 in dia: bear. N 45 E. 32 lks dist; to  
 Do. 20 " " " N 9 W. 20 " "  
 80.00 Set a tripit post on the true line for the cor. of sec. 34 & 35.

## T. N. 5. N. R. No 1 N. D. M. Ind.

from which, Buck 20 in dia: bear. N 30 W. 15 lks dist  
 and also Do. 10 " " " N 35 E. 16 " "

East On the true line On the South Boundary of sec. 35.  
 T. 6 N. R. 1 W.  
 40.00 Set a tripit 7/2 a post on the true line from which,  
 Hick 16 in dia: bear. N 81 E. 10 lks dist; to  
 Linnwood 6 " " " S 77 W. 12 " "  
 80.00 Set a tripit post on the true line for the cor. of sec. 35 & 36  
 from which, Blue Ash 12 in dia: bear. N 1 E. 9 lks dist.  
 Do. " " " " N 52 E. 15 " "

East On the true line On the South Boundary of sec. 36.  
 T. 6 N. R. 1 W.  
 40.00 Set a tripit 7/2 a post on the true line from which,  
 Buck 8 in dia: bear. N 35 E. 17 lks dist; to  
 Do. 12 " " " S 78 W. 21 " "  
 80.00 Set the cor. of T. 5 N. R. 1 E. 1 W.

## West Boundary. all

North On the East Boundary of sec. 36. T. 5 N. R. 2 W.  
 10.51 Set a Poplar 30 in dia: stand in the line.  
 40.00 Set a 7/2 a post from which,  
 Buck 12 in dia: bear. S 39 W. 24 lks dist; to  
 Logwood 6 " " " N 41 W. 12 " "  
 80.00 Set a post for the cor. of sec. 25 & 36 from which,  
 Buck 12 in dia: bear. S 2 E. 24 lks dist; to  
 Sugar 15 " " " N 72 W. 21 " "  
 Landerick and rolling Timber Buck, Sugar Ash,  
 Poplar, & W. Spruce.

North On the East Boundary of sec. 25. T. 5 N. R. 2 W.



## I. A. 5 N. R. No 1 W. 2nd Mer. Ind.

40.00	Let a post from which, Beak 20 in dia. beam. S 34 E. 29 the dist. to Loc. 7 " " " " A 54 N. 29 " "
54.50	To spring Run 4 the mid. course R.
56.75	To a Rock 12 in dia. beam. course E.
80.00	Let a post for the corner 24 & 25 from which, Beak 12 in dia. beam. S 4 E. 26 the dist. to Loc. 10 " " " " S 7 N. 17 " " Land the same.
North	On the East Boundary of sec. 24 T. 5 N. R. 2 W.
22.75	To a Rock 30 in dia. in the line.
40.00	Let a post from which, Stick 10 in dia. beam. S 6 E. 37 the dist. to Beak 12 " " " " A 56 N. 14 " "
46.75	To a Stick 15 in dia. in the line.
80.00	Let a post for the corner 13 & 14 from which, Stick 10 in dia. beam. S 6 E. 33 the dist. to Loc. 12 " " " " S 4 E. 15 " " Land the same.
North	On the East Boundary of sec. 13 T. 5 N. R. 2 W.
40.00	Let a post from which, Log mark 6 in dia. beam. S 1 N. 23 the dist. to Beak 8 " " " " A 16 E. 8 " "
80.00	Let a post for the corner 12 & 13 from which, Stick 8 in dia. beam. S 6 N. 23 the dist. to Log mark 7 " " " " East 4 " " Land the same.
North	On the East Boundary of sec. 12 T. 5 N. R. 2 W.
40.00	Let a post from which, Beak 12 in dia. beam. S 6 N. 44 the dist. to

## I. A. 5 N. R. No 1 W. 2nd Mer. Ind.

61.60	To a Rock 20 in dia. in the line.
80.00	Let a post for the corner 14 & 15 from which, Stick 8 in dia. beam. S 2 N. 29 the dist. to Log mark 6 " " " " A 39 N. 20 " "
North	On the East Boundary of sec. 1 T. 5 N. R. 2 W.
40.00	Let a post from which, Beam 6 in dia. beam. S 7 N. 10 the dist. to Stick 15 " " " " A 40 N. 13 " "
68.95	To a Stick 20 in dia. in the line.
80.00	Let a post for the corner 16 & 17 S. 7 E. 11 the dist. to Stick 10 in dia. beam. S 7 E. 11 the dist. to Loc. 8 " " " " S 8 N. 15 " " Land rolling Samba Oak, Hickory, & Poplar. Surveyed by Arthur Henric. Dep. S. Ind.
Subdivisions.	
North	Return Sec 35 & 36 T. 5 N. R. 1 W.
40.00	Let a post from which, Beak 10 in dia. beam. S 38 E. 17 the dist. to Loc. 6 " " " " S 4 E. 22 " "
80.00	Let a post for the corner 25 & 26 S. 36 E. 16 the dist. to Log mark 6 in dia. beam. S 4 N. 28 the dist. to Loc. 6 " " " " A 66 E. 15 " " Land rolling Samba Poplar, Ash & Birch, &c.
East	On a Random line between Sec. 25 & 36 T. 5 N. R. 1 W.
40.00	Let a temporary post
79.50	Let a post on the East Boundary 25 the South of the post on of sec. 25 & 36. Land the same.



S. A. 5 N. R. No 1 N. 2nd Mer. Ind.

40.00 Let a post from which,  
 Buck 20 in dia. beam. S 34 E. 29 the dist. to  
 Loc. 7. " " N 54 W. 29. "  
 54.50 To a Spring Run 4 the mid. course R.  
 56.75 To a Brook 12 the mid. course E.  
 80.00 Let a post for the corner 20 125 from which,  
 Buck 19 in dia. beam. S 4 E. 26 the dist. to  
 Loc. 10. " " S 71 W. 17. "  
 Land the same.

North On the East Boundary of sec. 21 T. 5 N. R. 2 W.  
 22.75 To a B. Oak 30 in dia. in the line.  
 40.00 Let a post from which,  
 Hick 10 in dia. beam. S 6 E. 37 the dist. to  
 Buck 12 " " " N 56 W. 14. "  
 46.75 To a Hick 15 in dia. in the line.  
 80.00 Let a post for the corner 13 134 from which,  
 W Oak 10 in dia. beam. S 6 E. 33 the dist. to  
 Loc. 12. " " S 4 E. 15. "  
 Land the same.

North On the East Boundary of sec. 13 T. 5 N. R. 2 W.  
 40.00 Let a post from which,  
 Logwood 6 in dia. beam. S 1 W. 23 the dist. to  
 Buck 8 " " " N 16 E. 8. "  
 80.00 Let a post for the corner 12 113 from which,  
 Hick 18 in dia. beam. S 6 W. 22 the dist. to  
 Logwood 7. " " East 4. "  
 Land the same.

North On the East Boundary of sec. 12 T. 5 N. R. 2 W.  
 40.00 Let a post from which,  
 Buck 19 in dia. beam. S 6 W. 14 the dist. to

S. A. 5 N. R. No 1 N. 2nd Mer. Ind.

Logwood 6 in dia. beam. N 55 W. 11 the dist.  
 61.60 To a B. Oak 20 in dia. in the line.  
 80.00 Let a post for the corner 14 12 from which,  
 W Oak 8 in dia. beam. S 2 W. 29 the dist. to  
 Logwood 6. " " N 39 W. 20. "

North On the East Boundary of sec. 1, T. 5 N. R. 2 W.  
 40.00 Let a post from which,  
 Gum 6 in dia. beam. S 1 W. 10 the dist. to  
 W Oak 15 " " " N 40 W. 13. "  
 68.75 To a Spruce 20 in dia. in the line.  
 80.00 Let a post for the corner 1.6 31 134. S 57 E. N. 112 W.  
 from which, Hick 10 in dia. beam. S 4 E. 11 the dist.  
 crude W Oak 8 " " " S 6 W. 15. "  
 Land rolling Timber Oak, Hick, & Poplar.  
 Surveyed by  
 Arthur Hensie.  
 Dep't Sur.

## Subdivisions

North Return Sec 35 T. 5 N. R. 1 W.  
 40.00 Let a post from which,  
 Buck 10 in dia. beam. N 38 E. 17 the dist. to  
 Loc. 6 " " " S 4 E. 22. "  
 81.00 Let a post for the corner 25 26 35 36 from which,  
 Logwood 6 in dia. beam. S 1 W. 28 the dist. to  
 Loc. 6 " " " N 66 E. 15. "  
 Land rolling Timber Poplar, Ash & Buck, &c.

East On a Random line between Sec. 25 T. 5 N. R. 1 W.  
 40.00 Let a temporary post  
 79.50 Put out the East Boundary 25 the North of the post is  
 for 25 T. 5 N. Land the same.



## T. N. 5 N. R. No. 177 2nd Mer. Ind.

West	On the line between Sec. 25 & 26. T. 5 N. R. 1 W.
39.75	Set the timber for a post on the line from which, Sugar 12 in diam. beam. S 43 E. 17 the dist. 70,
	Do. 10 " " " " S 46 W. 18 " "
79.50	Set the post on of sec. 25 26, 35 & 36.
North	Between Sec. 25 & 26. T. 5 N. R. 1 W.
34.00	Loc. Brook 50 the mile, corner S. W.
40.00	Set a post for a post from which,
	Beck 10 in diam. beam. S 65 E. 11 the dist. 70,
	Sugar 10 " " " " S 64 W. 27 " "
80.00	Set a post for the corner of sec. 23, 24, 25 & 26. from which,
	N. Oak 18 in diam. beam. N 11 W. 7 the dist. 70,
	Do. 20 " " " " S 67 W. 25 " "
	Same the same.
East	On a random line between Sec. 24 & 25. T. 5 N. R. 1 W.
36.00	Loc. Brook 75 the mile, corner S.
40.00	Set a timber for a post
79.92	Intersect the N 13 line 12 miles North of the post corner of sec. 24 & 25.
	Same the same.
West	On the line between Sec. 24 & 25. T. 5 N. R. 1 W.
39.96	Set the timber for a post at the corner on the line from which, Sugar 10 in diam. beam. S 11 the dist. 70,
	maple. Do. 10 " " " " S 53 E. 12 " "
79.92	Set the post on of sec. 23, 24, 25 & 26.
North	Between Sec. 23 & 24. T. 5 N. R. 1 W.
37.50	Loc. Spring corner S. E.
40.00	Set a post for a post from which,
	Hick 8 in diam. beam. S 12 W. 7 the dist. 70,

## T. N. 5 N. R. No. 177 2nd Mer. Ind.

80.00	Sugar 10 in diam. beam. S 44 E. 10 the dist. 70,
	Set a post for the corner of sec. 13, 14, 23 & 24 from which,
	Sugar 12 in diam. beam. S 57 W. 18 the dist. 70,
	Do. 10 " " " " S 29 E. 20 " "
	Same the same.
East	On a random line between Sec. 13 & 24. T. 5 N. R. 1 W.
40.00	Set a timber for a post.
64.50	Loc. Brook.
80.00	Intersect the East Boundary 12 the South of the post corner of sec. 13 & 24. Same the same.
West	On the line between Sec. 13 & 24. T. 5 N. R. 1 W.
40.00	Set the timber for a post on the line from which,
	Maple corner on a Diagonal 10 in diam.
80.00	Set the post corner of sec. 13, 14, 23 & 24.
North	Between Sec. 13 & 14. T. 5 N. R. 1 W.
16.50	Loc. Brook 10 the mile, corner S.
40.00	Set a post for a post from which,
	Beck 10 in diam. beam. S 10 E. 5 the dist. 70,
80.00	Set a post for the corner of sec. 11, 12, 13 & 14 from which,
	Beck 6 in diam. beam. N 7 W. 6 the dist. 70,
	Do. 6 " " " " S 53 W. 7 " "
	Same thin & bushy Limb oak & Hickory.
East	On a random line between Sec. 12 & 13. T. 5 N. R. 1 W.
40.00	Set a timber for a post.
54.00	Loc. Brook 8 the mile, corner S.
80.00	Intersect the N 13 line 10 the South of the post corner of sec. 12 & 13. Same the same.
West	On the line between Sec. 12 & 13. T. 5 N. R. 1 W.



## I. No 5 N.R. No 1 N. 2nd Mm. Ind.

40.00 Set the tripot for support on the line from which  
 12 inch 10 in air beam. N 87 E. 24 the dist. to  
 No. 8 " " " N 19 E. 16 " "  
 80.00 Set the post on of 2nd 11.12.13 & 14.

North Return Jan 11 112 I. 5 N.R. 1 M.

40.00 Set a post for support from which  
 12 inch 20 in air beam. N 65 E. 20 the dist. to  
 No. 10 " " " N 65 W. 8 " "

80.00 Set a post on the line for the end of 1.2.11.12. from  
 which on 12 inch 20 in air beam. N 62 W. 24 the dist. to  
 Immersed to " " N 66 W. 18 " "

Land very hilly. Timber Oak Hickory & Buckeye.

\* Post stands in the side of a Brook 25 the side corner N.W.

East On a Random line between Jan 1 112 I. 5 N.R. 1 M.

40.00 Set a tripot for support

80.12 Set a post on the East Random 18 inch. South of the post on  
 of 2nd 1 & 12. Land the same.

West On the line between Jan 1 112 I. 5 N.R. 1 M.

40.00 Set the tripot for support on the line from which  
 Sugar 10 in air beam. N 88 W. 9 the dist. to  
 12 inch 18 " " " N 86 E. 33 " "

80.12 Set the post on of 2nd 1 2.11 & 12.

North Return Jan 1 112 I. 5 N.R. 1 M.

23.50 From 12 inch 10 in air beam on the line.

40.00 Set a post for support from which

12 inch 6 in air beam. N 31 W. 12 the dist. to

No. 12 " " " N 58 W. 13 " "

47.00 To a Brook 25 inch. side, corner N.

80.95 Set a post on the East Random 22 inch West of the post on  
 of 2nd 35 136. I. 6 N.R. 1 M. and set a post for the

## I. No 5 N.R. No 1 N. 2nd Mm. Ind.

on of 2nd 1 & 2 from which

12 inch 10 in air beam. N 49 W. 13 the dist. to

No. 20 " " " N 37 W. 26 " "

Land the same.

North Return Jan 24 135 I. 5 N.R. 1 M.

40.00 Set a post for support from which

Sugar 18 in air beam. South 18 the dist. to

78.00 To a Brook 100 the side corner N.W.

80.00 Set a post for the end of 2nd 26.27.34 & 35 from which  
 12 inch 10 in air beam. N 70 W. 37 the dist. to

Mulberry to " " N 62 E. 12 " "

Land rolling. Timber Buck Sugar. Sec. 11 & 12.

East On a Random line between Jan 26 135 I. 5 N.R. 1 M.

30.50 To a Brook 50 (K) m. corner S.

40.00 Set a post for support (tripot)

80.06 Set a post on the N 13 line 8 (K) South of the post on of 2nd  
 25 & 26. 35 & 36. Land the same.

West On the line between Jan 26 135 I. 5 N.R. 1 M.

40.00 Set the tripot for support at the air. dist. on the line from  
 which 12 inch 10 in air beam. N 56 W. 8 the dist.  
 and a No. 8 " " " N 82 W. 26 " "

80.06 Set the post on of 2nd 26.27.34 & 35.

North Return Jan 26 135 I. 5 N.R. 1 M.

40.00 Set the post for support from which

Sugar 12 in air beam. N 17 W. 23 the dist. to

12 inch 10 " " " N 9 E. 20 " "

78.00 To a Brook 20 in air beam on the line.

80.00 Set a post for the end of 2nd 22.23.26.27 from which  
 12 inch 18 in air beam. N 78 E. 28 the dist. to



## T. A. 5 N. R. No 17 2nd Mer. Ind.

40.00 Set the trip for support on the line from which,  
Beck 10 in air beam. A87 E. 24 the dist. to,  
Do. 8 " " " A19 E. 16 " "  
80.00 Set the post on of 2nd 11.12.13 & 14.

North Return Sec 11 112 T. 5 N. R. 17.

40.00 Set a post for support from which,  
Beck 20 in air beam. A65 E. 20 the dist. to,  
Do. 10 " " " A65 N. 8 " "

80.00 Set a post on the line for the corner of 1.2.11.12 from  
which on A18. 20 in air beam. A62 N. 24 the dist. to,  
Summit Co. " " A66 N. 18 " "

Land very hilly. Timber Oak & Hick. A2 Beck &  
Post stands on the side of a Brook 25th mile corner N. W.

East On a Random line between Sec 1 112 T. 5 N. R. 17.

40.00 Set a trip for support

80.12 Set a post at the East corner 18 miles South of the post on  
of 2nd 1 & 12. Land the same.

West On the line between Sec 1 112 T. 5 N. R. 17.

40.06 Set the trip for support on the line from which,

Sugar 10 in air beam. A88 N. 9 the dist. to,  
Beck 18 " " " A86 E. 33 " "

80.12 Set the post on of 2nd 1.2.11.12.

South Return Sec 1 112 T. 5 N. R. 17.

23.50 Set on A18. 10 in air beam on the line.

20.00 Set a post for support from which,

Beck 6 in air beam. A31 N. 12 the dist. to,  
Do. 12 " " " A58 N. 12 " "

27.00 To a Brook 25 miles from corner N.

80.75 Set a post at the West corner 22 miles West of the post on  
of 2nd 35 36. T. 6 N. R. 17 and set a post for the

## T. A. 5 N. R. No 17 2nd Mer. Ind.

on of 2nd 1 & 2 from which,

Beck 10 in air beam. A49 N. 13 the dist. to,

Do. 20 " " " A37 N. 26 " "

Land the same.

North Return Sec 34 35 T. 5 N. R. 17.

40.00 Set a post for support from which,

Sugar 18 in air beam. South 18 the dist. to,

78.00 To a Brook 100th mile corner N. W.

80.00 Set a post for the corner of 2nd 26.27.34 & 35 from which,

Edw. 10 in air beam. A70 N. 39 the dist. to,

Mulberry Co. " " A62 E. 12 " "

Land rolling. Timber Beck Sugar Sec. W. Spr.

East On a Random line between Sec 26 35 T. 5 N. R. 17.

30.50 To a Brook 50 miles from corner S.

40.00 Set a post for support (trip)

80.06 Set a post at the N. W. corner 8 miles South of the post on of 2nd  
25 & 26. 35 & 36. Land the same.

West On the line between Sec 26 35 T. 5 N. R. 17.

40.00 Set the trip for support at the corner with on the line from  
which, Beck 10 in air beam. A56 N. 8 the dist. to,

Do. 8 " " " A80 N. 26 " "

80.88 Set the post on of 2nd 26.27.34 & 35.

North Return Sec 26 27 T. 5 N. R. 17.

40.00 Set the post for support from which,

Sugar 12 in air beam. A11 N. 23 the dist. to,

Beck 10 " " " A9 E. 20 " "

78.60 To a Beck 20 in air beam on the line.

80.00 Set a post for the corner of 2nd 22.23.26 & 27 from which,

Beck 18 in air beam. A78 E. 28 the dist. to,



T. A. S. R. A. 179<sup>th</sup> Mm. Ind.

Back 10 in dia' beam. A23 N 31 the dist. on  
Sound the same.

East On a Random line between Dec 23 & 26. T. S. R. 179.  
37.00 To Halling Spring runs out of a large cave  
40.00 Set a tripet 7/8 support  
80.00 Put in cut the A15 line 14 links South of the first  
cut of Dec 23, 24, 25 & 26.  
Sound the same.

West Return Dec 23 & 26 T. S. R. 179. On a line  
40.00 Set the tripet 7/8 support on the line from which  
a Sugar 6 in dia' beam. East 9 links dist. to  
Dec 8 " " " A45 E. 20 " "  
80.00 To the post cut of Dec 22, 23, 26 & 27

North Return Dec 22 & 23 T. S. R. 179.  
40.00 Set a 7/8 support from which  
Sugar 8 in dia' beam A47 N 11 the dist. to  
Dec 8 " " " A72 E. 8 " "  
41.35 To a Back 20 in dia' in the line.  
80.00 Set a post for the cut of Dec 14, 15, 22 & 23 from which  
Back 10 in dia' beam A55 E. 26 the dist. to  
Dec 12 " " " A43 E. 22 " "  
Sound the same.

East On a Random line between Dec 14 & 23. T. S. R. 179.  
2.10 To a Back 10 links mid  
40.00 Set a tripet 7/8 support  
80.00 Put in cut the A15 line 10 links South of the first cut  
of Dec 13, 14, 23 & 24. Sound the same.

West On the line between Dec 14 & 23. T. S. R. 179

T. A. S. R. A. 179<sup>th</sup> Mm. Ind.

40.00 Set the tripet 7/8 support at the cut. dist. in the line  
from which  
Back 12 in dia' beam. A51 N 8 the dist. to  
Dec 20 " " " A45 N 20 " "  
80.00 To the post cut of Dec 14, 15, 22 & 23

North Return Dec 14 & 15 T. S. R. 179.  
2.00 To a Back 8 links mid. Convey 77.  
37.50 " " Dec 10 " " " 77.  
40.00 Set a 7/8 support from which  
A Walnut 6 in dia' beam. A60 N 12 the dist. to  
Sugar 10 " " " A15 E. 14 " "  
80.00 Set a post for the cut of Dec 10, 11, 14 & 15 from which  
Back 8 in dia' beam. A49 N 23 the dist. to  
Sugar 10 " " " A87 N 31 " "  
Sound the same.

East On a Random line between Dec 11 & 14 T. S. R. 179.  
40.00 Set a tripet 7/8 support.  
80.00 Put in cut the A15 line 12 links South of the first cut  
of Dec 11, 12, 13 & 14. Sound the same.

West On the line between Dec 11 & 14 T. S. R. 179.  
40.00 Set the tripet 7/8 support on the line from which  
Back 10 in dia' beam. A3 E. 6 links dist. to  
Dec 10 " " " A82 N 16 " "  
80.00 To the cut of Dec 10, 11, 14 & 15.

North Return Dec 10 & 11 T. S. R. 179.  
40.00 Set a 7/8 support from which  
Back 20 in dia' beam. A15 N 39 the dist. to  
Sugar 10 " " " A77 N 15 " "  
66.10 To a Back 18 in dia' in the line.



I. A. 5 RR. No. 177 2<sup>nd</sup> Mm. Ind.

8000	Set apart for the car of 200 2.310 & 11 from which, W. Walnut. 10 in dia. beam. A49 N 10 W. dist. 8, Red Bud. 6 " " " 85 E 10 " " Sands rich, Timber Buck, Poplar, Spr.
East	On a line between Sec. 2 & 11. I. 5 RR. 177.
4000	Set a 1/4 sec. timber post.
7100	To a Brook 8 miles west, corner N.
8000	Set out the N 15 line 15 miles South of the post end of Sec. 1 & 11. Lands the same.
West	On the line between Sec. 2 & 11. I. 5 RR. 177.
4000	Set the timber post for a post on the line from which, W. Oak 12 in dia. beam. A27 N 50 W. dist. 8, Buck 10 " " " 22 E 26 " "
8000	Set the post on of 200 2.3.10 & 11.
North	Return Sec. 2 & 3. I. 5 RR. 177.
4000	Set a 1/4 sup. post from which, Buck 10 in dia. beam. A88 N. 7 W. dist. 8, Loc. 10 " " " 49 N 7 " "
8110	Set out the A. R. 177 at the post end of 200 34 & 35 I. 5 RR. 177. Sands rich & rolling. Timber Buck Poplar. Oak & Sugar.
North	Return Sec. 33 & 34. I. 5 RR. 177.
480	To a Brook 20 in dia. in the line.
38.00	To a Brook 10 W. corner, corner E.
4000	Set a 1/4 sup. post from which, Buck 10 in dia. beam. A21 N 20 W. dist. 8, Loc. 10 " " " 25 N 9 " "
71.00	Set the post on the Left Bank of White River for

I. A. 5 RR. No. 177 2<sup>nd</sup> Mm. Ind.

	the car of 200 33 & 34 from which, Sugar. 12 in dia. beam. A11 E. 34 W. dist. 8, Buck 10 " " " 44 N 33 " " Sands rich, Timber poplar, Sugar, Oak.
West	Return Sec. 27 & 34. I. 5 RR. 177.
4000	Set apart for the car of 1/4 sup. post. from which, Sugar. 10 in dia. beam. A28 E. 3 W. dist. 8, Loc. 10 " " " 59 E 17 " "
8000	Set apart for the car of 200 27.28.33 & 34 from which, Sycamore. 12 in dia. beam. A43 N 18 W. dist. 8, Oak. 10 " " " 39 E 9 " " Sands rich, Timber Sugar, Poplar, & Buck.
North	Return Sec. 27 & 28. I. 5 RR. 177.
4000	Set a 1/4 sup. post from which, Buck. 12 in dia. beam. A22 N. 36. W. dist. 8, Loc. 10 " " " 63 E 19 " "
6450	To a Brook. 20 in dia. in the line.
8000	Set a post for the car of 200 21.22.27 & 28 from which, Buck. 18 in dia. beam. A37 E. 21 W. dist. 8, Loc. 12 " " " 46 N 25 " " Sands the same.
East	On a line between Sec. 22 & 27. I. 5 RR. 177.
4000	Set a timber post for a post.
8000	Set out the N 18 line. at the post end of 200 22 & 23. 26 & 27. Lands the same.
West	On the line between Sec. 22 & 27. I. 5 RR. 177.
4000	Set the timber post for a post on the line between which, Sugar. 12 in dia. beam. East 2 miles dist.
8000	Set the car of 200 22. 21. 27 & 28.







## T. S. S. R. No 177 2nd Mo. Ind.

80.10	Box Elder 10 in dia: bear. S24 E. 36 lb ash Sett post on of set 3410 17.
North 16.50	Return Set 344 T. S. R. 177. Loa Brook 200 links mid., Cornus & E.
14.00	Set a 7/8 supst from white, Beak 20 in dia: bear. S39 E 11 links ash: 10, Lo. 10 " " " S57 W 46 " "
75.00	Loa Brook 200 links mid., Cornus West; A cliff of rocks leading up to dam the creek about 40 feet high.
81.25	Enter sub the A Boundary, at the end of set 33 T. S. R. 1 6 A R 177. Same the same.
North 46.00	Return Set 32133 T. S. R. 177. Set a 7/8 supst from white, Logan 6 in dia: bear. N40 W 22 the ash: 10, Sumner 6 " " " S33 E 10 " "
66.00	Loa Brook 20 in dia: in the line.
80.00	Set a post for the end of set 28 29 32 33 from white a. 7 Oak 20 in dia: bear. S54 W 21 links ash: 10, Lo. 20 " " " S53 E 51. " " Same rolling Timber ash Beak, & Sugar.
East 40.00	Return Set 28 33 T. S. R. 177. Set a 7/8 supst from white, Sugar 10 in dia: bear. S53 W 7 links ash: 10, Beak 8 " " " S18 W 9 " "
68.00	Set a post on the Left Bank of White River for the end of set 28 33 from white, Sugar 13 in dia: bear. S3 W. — the ash: 10, Lo. — " " " S37 W 27 " " Same the same.

## T. S. S. R. No 177 2nd Mo. Ind.

North 38.20	Return Set 28 29 T. S. R. 177. Set a post on the Left Bank of White River for the end of set 28 29 from white, Sugar 12 in dia: bear. S53 E 11 links ash: 10, Walnut 6 " " " S37 W 10 " " Same the same.
South 76.00	Return Set 28 29 T. S. R. 177. Loa Sugar 12 in dia: in the line.
33.77	Set a post on the Right Bank of White River for the end of set 28 29 T. S. R. 177 from white, Beak 10 in dia: bear. N47 E 11 links ash: 10, Lo. 12 " " " S57 W 16 " " Same the same.
West 22.50	Return Set 21 28 T. S. R. 177. Loa Brook 12 links mid., Cornus & E.
40.00	Set a 7/8 supst from white, Beak 8 in dia: bear. N85 W 9 links ash: 10, Sumner 8 " " " S79 E 20 " "
80.00	Set a post for the end of set 20 21 28 29 from white, Beak 12 in dia: bear. S54 E 17 links ash: 10, Lo. 8 " " " S70 E 30 " " Same rolling Timber Beak & Sugar. &.
North 23.00	Return Set 20 21 T. S. R. 177. Loa Brook 200 links mid., Cornus W.
40.00	Set a 7/8 supst from white, Beak 10 in dia: bear. S54 E 15 links ash: 10, Lo. 20 " " " S30 W 11 " "
53.00	Crossed the West River on the creek about 150 ft.
80.00	Set a post for the end of set 16 17 20 21 from white, Beak 20 in dia: bear. S81 W 36 the ash: 10, Lo. 6 " " " S51 W 9 " "



## I. A. 5 A R. A. 177 D. u. M. S. u. d.

This post stands on the South side, of a creek  
200 links m. d. from E. W.

East On a Random line between Sec. 16 & 21 T. 5 N. R. 1 W.  
40.00 Set a timber post in a post.  
80.11 Set a timber post at the N. 13. line. 8 links South of the post ca.  
of sec 15. 16. 21 & 22. Same the same.

West On the line between Sec 16 & 21 T. 5 N. R. 1 W.  
40.05 Set the timber post in a post on the line from which  
Back 12 in dir. line. S. 87 N. 46 links m. d. to  
Sugar. 12 " " " S. 84 E. 20 " "  
80.11 Set the post ca. of sec 16. 17. 20 & 21.

North Return Sec 16 & 17 T. 5 N. R. 1 W.  
40.00 Set a timber post from which  
Oak 20 in dir. line. S. 12 E. 22 (6) links  
49.00 Set a timber post, 20 in dir. in the line.  
80.00 Set a post in the ca. of sec 8. 9. 16 & 17 from which  
Back 20 in dir. line. S. 1 E. 6 links m. d. to  
" " " " S. 89 E. 26 " "  
Same the same

East On a Random line between Sec 9 & 16 T. 5 N. R. 1 W.  
35.50 Set a timber post 200 links m. d. from S. E.  
40.00 Set a timber post in a post.  
79.90 Set a timber post at the N. 13 line 8 links South of the post  
ca. of sec. 9. 16. 17 & 18.  
Same the same.

West On the line between Sec 9 & 16 T. 5 N. R. 1 W.  
39.95 Set the timber post in a post at the end of the line  
from which Back 12 in dir. line. S. 19 E. 15 (6) links

## I. A. 5 A R. A. 177 D. u. M. S. u. d.

Back 12 in dir. line. S. 19 E. 17 links m. d.  
79.90 Set the post ca. of sec 8. 9. 16 & 17.

North Return Sec 8 & 9 T. 5 N. R. 1 W.  
10.00 Set a timber post 200 links m. d. from S. E.  
40.00 On an Offset towards the West  
75.00 Set a timber post the same. Same. S. W.  
80.00 Set a post in the ca. of sec 4. 5. 8 & 9 from which  
Sugar. 10 in dir. line. S. 27 N. 23 links m. d. to  
Stick. 7 " " " S. 44 E. 17 " "  
Same the same.

East On a Random line between Sec 4 & 9 T. 5 N. R. 1 W.  
35.00 Set a timber post 200 links m. d. from S. E.  
40.00 Set a timber post in a post.  
79.95 Set a timber post at the N. 13 line at the post ca. of sec 3 & 4 & 9 m.  
Same the same.

West On the line between Sec 4 & 9 T. 5 N. R. 1 W.  
39.95 Set the timber post in a post at the end of the line  
from which Back 20 in dir. line. S. 82 N. 29 (6) links  
m. d. to S. E. 19 N. 17 " "  
79.95 Set the post ca. of Sec 4. 5. 8 & 9.

North Return Sec 4 & 9 T. 5 N. R. 1 W.  
40.00 Set a timber post from which  
Stick. 10 in dir. line. S. 27 N. 21 (6) links  
79.00 Set a timber post 18 links m. d. from S. E.  
81.25 Set a timber post at the N. 13 line at the post ca. of sec 3 & 4 & 9 m.  
S. E. 19 N. 17 " "  
Same the same. Timber Oak, Stick. 7. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 841. 842. 843. 844. 845. 846. 847. 848. 849. 850. 851. 852. 853. 854. 855. 856. 857. 858. 859. 860. 861. 862. 863. 864. 865. 866. 867. 868. 869. 870. 871. 872. 873. 874. 875. 876. 877. 878. 879. 880. 881. 882. 883. 884. 885. 886. 887. 888. 889. 890. 891. 892. 893. 894. 895. 896. 897. 898. 899. 900. 901. 902. 903. 904. 905. 906. 907. 908. 909. 910. 911. 912. 913. 914. 915. 916. 917. 918. 919. 920. 921. 922. 923. 924. 925. 926. 927. 928. 929. 930. 931. 932. 933. 934. 935. 936. 937. 938. 939. 940. 941. 942. 943. 944. 945. 946. 947. 948. 949. 950. 951. 952. 953. 954. 955. 956. 957. 958. 959. 960. 961. 962. 963. 964. 965. 966. 967. 968. 969. 970. 971. 972. 973. 974. 975. 976. 977. 978. 979. 980. 981. 982. 983. 984. 985. 986. 987. 988. 989. 990. 991. 992. 993. 994. 995. 996. 997. 998. 999. 1000. 1001. 1002. 1003. 1004. 1005. 1006. 1007. 1008. 1009. 1010. 1011. 1012. 1013. 1014. 1015. 1016. 1017. 1018. 1019. 1020. 1021. 1022. 1023. 1024. 1025. 1026. 1027. 1028. 1029. 1030. 1031. 1032. 1033. 1034. 1035. 1036. 1037. 1038. 1039. 1040. 1041. 1042. 1043. 1044. 1045. 1046. 1047. 1048. 1049. 1050. 1051. 1052. 1053. 1054. 1055. 1056. 1057. 1058. 1059. 1060. 1061. 1062. 1063. 1064. 1065. 1066. 1067. 1068. 1069. 1070. 1071. 1072. 1073. 1074. 1075. 1076. 1077. 1078. 1079. 1080. 1081. 1082. 1083. 1084. 1085. 1086. 1087. 1088. 1089. 1090. 1091. 1092. 1093. 1094. 1095. 1096. 1097. 1098. 1099. 1100. 1101. 1102. 1103. 1104. 1105. 1106. 1107. 1108. 1109. 1110. 1111. 1112. 1113. 1114. 1115. 1116. 1117. 1118. 1119. 1120. 1121. 1122. 1123. 1124. 1125. 1126. 1127. 1128. 1129. 1130. 1131. 1132. 1133. 1134. 1135. 1136. 1137. 1138. 1139. 1140. 1141. 1142. 1143. 1144. 1145. 1146. 1147. 1148. 1149. 1150. 1151. 1152. 1153. 1154. 1155. 1156. 1157. 1158. 1159. 1160. 1161. 1162. 1163. 1164. 1165. 1166. 1167. 1168. 1169. 1170. 1171. 1172. 1173. 1174. 1175. 1176. 1177. 1178. 1179. 1180. 1181. 1182. 1183. 1184. 1185. 1186. 1187. 1188. 1189. 1190. 1191. 1192. 1193. 1194. 1195. 1196. 1197. 1198. 1199. 1200. 1201. 1202. 1203. 1204. 1205. 1206. 1207. 1208. 1209. 1210. 1211. 1212. 1213. 1214. 1215. 1216. 1217. 1218. 1219. 1220. 1221. 1222. 1223. 1224. 1225. 1226. 1227. 1228. 1229. 1230. 1231. 1232. 1233. 1234. 1235. 1236. 1237. 1238. 1239. 1240. 1241. 1242. 1243. 1244. 1245. 1246. 1247. 1248. 1249. 1250. 1251. 1252. 1253. 1254. 1255. 1256. 1257. 1258. 1259. 1260. 1261. 1262. 1263. 1264. 1265. 1266. 1267. 1268. 1269. 1270. 1271. 1272. 1273. 1274. 1275. 1276. 1277. 1278. 1279. 1280. 1281. 1282. 1283. 1284. 1285. 1286. 1287. 1288. 1289. 1290. 1291. 1292. 1293. 1294. 1295. 1296. 1297. 1298. 1299. 1300. 1301. 1302. 1303. 1304. 1305. 1306. 1307. 1308. 1309. 1310. 1311. 1312. 1313. 1314. 1315. 1316. 1317. 1318. 1319. 1320. 1321. 1322. 1323. 1324. 1325. 1326. 1327. 1328. 1329. 1330. 1331. 1332. 1333. 1334. 1335. 1336. 1337. 1338. 1339. 1340. 1341. 1342. 1343. 1344. 1345. 1346. 1347. 1348. 1349. 1350. 1351. 1352. 1353. 1354. 1355. 1356. 1357. 1358. 1359. 1360. 1361. 1362. 1363. 1364. 1365. 1366. 1367. 1368. 1369. 1370. 1371. 1372. 1373. 1374. 1375. 1376. 1377. 1378. 1379. 1380. 1381. 1382. 1383. 1384. 1385. 1386. 1387. 1388. 1389. 1390. 1391. 1392. 1393. 1394. 1395. 1396. 1397. 1398. 1399. 1400. 1401. 1402. 1403. 1404. 1405. 1406. 1407. 1408. 1409. 1410. 1411. 1412. 1413. 1414. 1415. 1416. 1417. 1418. 1419. 1420. 1421. 1422. 1423. 1424. 1425. 1426. 1427. 1428. 1429. 1430. 1431. 1432. 1433. 1434. 1435. 1436. 1437. 1438. 1439. 1440. 1441. 1442. 1443. 1444. 1445. 1446. 1447. 1448. 1449. 1450. 1451. 1452. 1453. 1454. 1455. 1456. 1457. 1458. 1459. 1460. 1461. 1462. 1463. 1464. 1465. 1466. 1467. 1468. 1469. 1470. 1471. 1472. 1473. 1474. 1475. 1476. 1477. 1478. 1479. 1480. 1481. 1482. 1483. 1484. 1485. 1486. 1487. 1488. 1489. 1490. 1491. 1492. 1493. 1494. 1495. 1496. 1497. 1498. 1499. 1500. 1501. 1502. 1503. 1504. 1505. 1506. 1507. 1508. 1509. 1510. 1511. 1512. 1513. 1514. 1515. 1516. 1517. 1518. 1519. 1520. 1521. 1522. 1523. 1524. 1525. 1526. 1527. 1528. 1529. 1530. 1531. 1532. 1533. 1534. 1535. 1536. 1537. 1538. 1539. 1540. 1541. 1542. 1543. 1544. 1545. 1546. 1547. 1548. 1549. 1550. 1551. 1552. 1553. 1554. 1555. 1556. 1557. 1558. 1559. 1560. 1561. 1562. 1563. 1564. 1565. 1566. 1567. 1568. 1569. 1570. 1571. 1572. 1573. 1574. 1575. 1576. 1577. 1578. 1579. 1580. 1581. 1582. 1583. 1584. 1585. 1586. 1587. 1588. 1589. 1590. 1591. 1592. 1593. 1594. 1595. 1596. 1597. 1598. 1599. 1600. 1601. 1602. 1603. 1604. 1605. 1606. 1607. 1608. 1609. 1610. 1611. 1612. 1613. 1614. 1615. 1616. 1617. 1618. 1619. 1620. 1621. 1622. 1623. 1624. 1625. 1626. 1627. 1628. 1629. 1630. 1631. 1632. 1633. 1634. 1635. 1636. 1637. 1638. 1639. 1640. 1641. 1642. 1643. 1644. 1645. 1646. 1647. 1648. 1649. 1650. 1651. 1652. 1653. 1654. 1655. 1656. 1657. 1658. 1659. 1660. 1661. 1662. 1663. 1664. 1665. 1666. 1667. 1668. 1669. 1670. 1671. 1672. 1673. 1674. 1675. 1676. 1677. 1678. 1679. 1680. 1681. 1682. 1683. 1684. 1685. 1686. 1687. 1688. 1689. 1690. 1691. 1692. 1693. 1694. 1695. 1696. 1697. 1698. 1699. 1700. 1701. 1702. 1703. 1704. 1705. 1706. 1707. 1708. 1709. 1710. 1711. 1712. 1713. 1714. 1715. 1716. 1717. 1718. 1719. 1720. 1721. 1722. 1723. 1724. 1725. 1726. 1727. 1728. 1729. 1730. 1731. 1732. 1733. 1734. 1735. 1736. 1737. 1738. 1739. 1740. 1741. 1742. 1743. 1744. 1745. 1746. 1747. 1748. 1749. 1750. 1751. 1752. 1753. 1754. 1755. 1756. 1757. 1758. 1759. 1760. 1761. 1762. 1763. 1764. 1765. 1766. 1767. 1768. 1769. 1770. 1771. 1772. 1773. 1774. 1775. 1776. 1777. 1778. 1779. 1780. 1781. 1782. 1783. 1784. 1785. 1786. 1787. 1788. 1789. 1790. 1791. 1792. 1793. 1794. 1795. 1796. 1797. 1798. 1799. 1800. 1801. 1802. 1803. 1804. 1805. 1806. 1807. 1808. 1809. 1810. 1811. 1812. 1813. 1814. 1815. 1816. 1817. 1818. 1819. 1820. 1821. 1822. 1823. 1824. 1825. 1826. 1827. 1828. 1829. 1830. 1831. 1832. 1833. 1834. 1835. 1836. 1837. 1838. 1839. 1840. 1841. 1842. 1843. 1844. 1845. 1846. 1847. 1848. 1849. 1850. 1851. 1852. 1853. 1854. 1855. 1856. 1857. 1858. 1859. 1860. 1861. 1862. 1863. 1864. 1865. 1866. 1867. 1868. 1869. 1870. 1871. 1872. 1873. 1874. 1875. 1876. 1877. 1878. 1879. 1880. 1881. 1882. 1883. 1884. 1885. 1886. 1887. 1888. 1889. 1890. 1891. 1892. 1893. 1894. 1895. 1896. 1897. 1898. 1899. 1900. 1901. 1902. 1903. 1904. 1905. 1906. 1907. 1908. 1909. 1910. 1911. 1912. 1913. 1914. 1915. 1916. 1917. 1918. 1919. 1920. 1921. 1922. 1923. 1924. 1925. 1926. 1927. 1928. 1929. 1930. 1931. 1932. 1933. 1934. 1935. 1936. 1937. 1938. 1939. 1940. 1941. 1942. 1943. 1944. 1945. 1946. 1947. 1948. 1949. 1950. 1951. 1952. 1953. 1954. 1955. 1956. 19



## T. A. 5 A. R. No 1 W. D. M. S. L.

Aath	Return Sat 31 1832 T. 5 A. R. 1 W.
40.00	Set a 7/8 supst. from which Beak 6 in dist. from S 77 W. 10 links dist.
46.00	To a Brook 250 links m. d., leave S. E.
77.00	" " " 250 " " " S. W.
80.00	Corner in the Brook Sat. 29. 30 31 1832 Land cont. Lumber Back & Sugar,
East	Return Sat. 29 1832 T. 5 A. R. 1 W.
22.50	Set a post for the ca of Sat. 29 1832. on the Right Bank of the White River from which Elev. 8 in dist. from South 2 the dist. Land flat Lumber Back,
West	Return Sat. 29 1832. T. 5 A. R. 1 W.
25.00	To flat land.
40.00	Set a 7/8 supst. from which Elev. 10 in dist. from N 62 E. 11 the dist. to mark. 6 " " " S 77 W. 12 " "
50.70	Set a post for the ca of Sat. 29 1832 on the Left Bank of White River from which N. 62 E. 10 in dist. from N 65 W. 17 the dist. to Lumber. 6 " " " N 73 E. 22. " "
West	Return Sat. 31 1831 T. 5 A. R. 1 W.
40.00	Set a 7/8 supst. from which Regiment 6 in dist. from S 55 W. 15 the dist. to " " " " S 80 E. 18 " "
49.00	To a Brook 10 links m. d., leave N.
55.00	Set a post for the West Boundary 45 links South of the post cap of Sat. 25 1836 T. 5 A. R. 2 W. and set a post for the ca of Sat. 31 1831 from which Beak 10 in dist. from N 45 W. 33 the dist. to " " " " " N 48 E. 22 " "

## T. A. 5 A. R. No 1 W. D. M. S. L.

	Land rolling brushy Lumber Back, & Poplar
Aath	Return Sat. 29 1830 T. 5 A. R. 1 W.
400	To the post. west side of the corner.
6.00	To a Brook 20 links m. d., leave E.
40.00	Set a 7/8 supst. from which Beak. 6 in dist. from N 62 E. 11 the dist. to Lumber. 6 " " " N 73 E. 22 " "
65.00	To a Brook 250 links m. d., leave S. E.
80.00	Set a post for the ca of Sat. 19. 10. 29 1830 from which a Lumber. 6 in dist. from S 6 E. 17 the dist. under Beak 10 " " " N 6 W. 13 " "
East	On a Random line Return Sat. 10 1829. T. 5 A. R. 1 W.
40.00	Set a temporary supst.
80.10	Set a post for the N 13 line West. South of the post ca. of Sat. 26 1825 1829. Land the same.
West	On the line line Return Sat. 20 1829. T. 5 A. R. 1 W.
40.05	Set the temporary supst. on the line line at the corner from which Beak 6 in dist. from N 88 E. 29 the dist. under " " " " " N 10 W. 17 " "
80.10	To the post ca of Sat. 19. 20. 29 1830
West	Return Sat. 19 1830 T. 5 A. R. 1 W.
27.00	To a Brook 250 links m. d., leave S. E.
40.00	Set a 7/8 supst. from which Elev. 10 in dist. from S 9 E. 5 the dist.
85.00	Set a post for the West Boundary 16 links South of the post ca of Sat. 24 1825. T. 5 A. R. 2 W. and set a post for the ca of Sat. 19 1830 from which



T. A. S. N. R. N. 17<sup>th</sup> Quad. Min. Ind.

	Logwood, 6 in diam. beam. S 3 E. 20 lbs. dist. to Beck. 18 " " " S 57 E. 21 " "
North	Between Jul. 19 & 20. T. S. N. R. 17 <sup>th</sup> .
40.00	Set a trap for sup. from which, Beck. 12 in diam. beam. S 34 E. 20 lbs. dist. to, No. 10 " " " S 70 N. 7 " "
80.10	Set a post for the cor. of sec. 17, 18, 19 & 20 from which, Mulberry, 5 in diam. beam. S 33 W. 16 lbs. dist. to, Beck. 10 " " " S 77 E. 16 " " Land the same.
East	On a Kansas line between Jul. 17 & 20 T. S. N. R. 17 <sup>th</sup>
40.00	Set a trap for sup. from which, No. Oak. 10 in diam. beam. S 2 E. 50 lbs. dist. to, Gum, 12 " " " S 36 N. 43 " "
44.65	Top Rock 200 lbs. max. House N. W.
80.00	Set a post for the N. W. line, 11 miles South of the post cor. sec. 16, 17, 20 & 21. Land the same.
West	On the line between Jul. 17 & 20. T. S. N. R. 17 <sup>th</sup>
40.00	Set a trap for sup. from which, Sugar, 10 in diam. beam. S 30 N. 12 lbs. dist. to, and a Beck. 9 " " " S 52 E. 39 " "
80.00	Set the post cor. of sec. 17, 18, 19 & 20
North	Between Jul. 17 & 18 T. S. N. R. 17 <sup>th</sup>
40.00	Set a trap for sup. from which, B. Oak 12 in diam. beam. S 9 N. 13 lbs. dist. to, Beck. 10 " " " S 11 N. 19 " "
80.00	Set a post for the cor. of sec. 17 & 18 from which, Beck. 10 in diam. beam. S 13 N. 5 lbs. dist. to, Logwood 5 " " " S 58 E. 10 " " Land the same.

L. S. N. R.

24

T. A. S. N. R. N. 17<sup>th</sup> Quad. Min. Ind.

East	On a Kansas line between Jul. 17 & 18. T. S. N. R. 17 <sup>th</sup>
40.00	Set a trap for sup. from which, No. Oak. 10 in diam. beam. S 2 E. 50 lbs. dist. to, Gum, 12 " " " S 36 N. 43 " "
80.10	Set a post for the cor. of sec. 17, 18, 19 & 20 from which, Beck. 12 in diam. beam. S 51 E. 9 lbs. dist. to, Poplar, 20 " " " S 70 N. 26 " " Land the same.
West	On the line between Jul. 17 & 18. T. S. N. R. 17 <sup>th</sup>
40.00	Set a trap for sup. from which, No. Oak. 10 in diam. beam. S 2 E. 50 lbs. dist. to, Gum, 12 " " " S 36 N. 43 " "
80.00	Set a post for the cor. of sec. 17, 18, 19 & 20 from which, Beck. 12 in diam. beam. S 51 E. 9 lbs. dist. to, Poplar, 20 " " " S 70 N. 26 " " Land the same.
North	Between Jul. 17 & 18 T. S. N. R. 17 <sup>th</sup>
40.00	Set a trap for sup. from which, No. Oak. 10 in diam. beam. S 2 E. 50 lbs. dist. to, Gum, 12 " " " S 36 N. 43 " "
84.05	Set a post for the cor. of sec. 12 & 13 T. S. N. R. 27 <sup>th</sup> and set a post for the cor. of sec. 17 & 18 from which, Logwood 8 in diam. beam. S 26 E. 11 lbs. dist. to, No. 8 " " " S 62 N. 8 " " Land the same.
East	On a Kansas line between Jul. 17 & 18. T. S. N. R. 17 <sup>th</sup>
40.00	Set a trap for sup. from which, No. Oak. 10 in diam. beam. S 2 E. 50 lbs. dist. to, Gum, 12 " " " S 36 N. 43 " "



## J. A. S. A. R. N. 172nd M. S. Ind.

52.00	Log Bear R. 12 miles, Co. 2. E.
80.00	Set out the 1st line 10 miles South of the post car of 2nd 4. 3. 8 & 9 Land the same.
West	Return to the line between Dec 3. 18 J. S. A. R. 171.
40.00	Set a trap for a post at the an. club on the line from which, Poplar 8 in dia. beam. 152 N. 9 the dist. And a Callagras - 11 " " 149 E. 14 " "
80.00	Set the post car of 2nd 5. 6. 7 & 8.
West	Return Dec 18 & 19 J. S. A. R. 171.
150	Log Bear R. 20 miles, Co. 2.
40.00	Set a trap for a post from which Bear 12 in dia. beam. 159 N. 7 the dist. to No. 5 " " 111 N. 16 " "
84.40	Set out the West Boundary of Line 12 the North of the post car of 2nd 13 & 14 J. S. A. R. 2nd and set a Post for the car of Dec 18 & 19 from which Log 12 in dia. beam. 127 E. 9 the dist. to No. 15 " " 156 N. 9 " "
	Land rolling Timber Creek Poplar Oak & S.
West	Return Dec 17 J. S. A. R. 171.
40.00	Set a trap for a post from which Oak 10 in dia. beam. 151 N. 20 the dist. to No. 10 " " 113 E. 17 " "
58.50	Log Oak 20 in dia. in the line.
84.50	Set out the West Boundary at the car of 2nd 15 & 16 J. S. A. R. 2nd and made beam. Land rolling Timber Oak, Poplar, Hickory
North	Return Dec 16 J. S. A. R. 171.

## J. A. S. A. R. N. 172nd M. S. Ind.

32.75	Log Bear R. 12 miles, Co. 2. E.
40.00	Set a trap for a post from which Log 12 in dia. beam. 154 N. 10 the dist. to E. 10 " " 15 E. 16 " "
81.80	Set out the 1st Boundary 13 miles East of the post car of 2nd 31 & 32 J. S. A. R. 171. Land the same.
Meadow of the East Branch of White River commencing on the South Boundary of 2nd, 32 thence upstream on the Right Bank.	
120 N	11.50
124 N	24.00 In Sec. 30.
129 N	29.50 Log Oak 250 the mds.
129 N	4.50
110 E	11.00
119 E	6.29 To the line between Dec 29 1832 J. S. A. R. 171
120 E	10.50
125 E	18.50
130 E	10.00
138 E	7.50
143 E	7.50
153 E	11.00 In Sec. 29
186 E	6.50
173 E	13.50
167 E	3.15 To the line between Dec 18 & 19 J. S. A. R. 171
165 E	11.00
160 E	24.50
166 E	19.50 at 12.00 a Bear R. 25 the mds.
160 E	13.00 In Sec. 28.
155 E	22.00



T. N. 5 N. R. N. 1 W. 2<sup>nd</sup> M. S. 4<sup>th</sup>

S38 E. 2.30. To the corner of Sec 28 33 34

S51 E. 10.00

S34 E. 15.50

S14 E. 5.00

S11 E. 19.50

S21 E. 7.00 In Sec 34.

S24 E. 10.77 To a corner 150 lbs. side,

S24 E. 2.50

S14 E. 4.50

S19 E. 13.80. To the post in the South Boundary of Sec 34  
T. 5 N. R. 1 W.Measure of the Left Bank of White River  
Commencing at the post on the South Boundary of  
Sec. 32. thence up stream on Sec. 32.

N21 W. 36.60

N29 W. 32.00 In Sec. 32.

N13 E. 16.60 To the line between Sec 29 &amp; 32. T. 5 N. R. 1 W.

N26 E. 35.00

N39 E. 16.50 In Sec. 29.

N68 E. 6.20

S62 E. 19.00 To the line between Sec 28 &amp; 29. T. 5 N. R. 1 W.

N62 E. 66.00 In Sec. 28.

S54 E. 27.00 To the line between Sec 33 &amp; 34

S34 E. 20.00

S19 E. 23.00 In Sec. 34.

S21 E. 35.50 To the post in South B. of Sec. 34  
T. 5 N. R. 1 W.T. N. 5 N. R. N. 1 W. 2<sup>nd</sup> M. S. 4<sup>th</sup>Surveyed by  
Arthur H. H. H. H. H.

I certify that the foregoing Transcript of the field  
notes of Township N. 5 North of Range N. 1 West  
of the 2<sup>nd</sup> Principal Meridian in Indiana has  
been compared with the Original Notes in this Office  
and found to be correct.

Surveyor General's Office,  
Cincinnati, Oct. 16. 1841.

S. J. General.